

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: X

DATE : June 02, 2008

TO SPE OF : ART UNIT 2879

SUBJECT : Request for Certificate of Correction for Appl. No.: 10/796102 Patent No.: 7242136 B2

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW, within 7 days, please complete and forward the response, to the employee (named below) via scanning into application images, using document code **COCX**.

DO NOT SENT TO ATTORNEY

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

Certificates of Correction Branch (CofC)

South Tower - 9A22

Palm Location 7580

You can fax the Directors/SPE response to 571-270-9990

LAMONTE NEWSOME

Certificates of Correction Branch

703-308-9390 ext. 112

Thank You For Your Assistance

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ **Approved** All changes apply.

☐ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.

Comments: _____

/AP/

2889

Examiner Ashok Patel (For SPE Toan Minh-Ton)

Art Unit

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7242136 B2
APPLICATION NO. : 10/796,102
ISSUE DATE : 07/10/07
INVENTOR(S) : KIM, YOUNG SUNG

1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Title Page, showing an illustrative figure, should be deleted and substitute therefor the attached Title Page.

Delete drawings sheets 6 of 9, 7 of 9 and 9 of 9 and substitute therefor the drawing sheets, consisting of figs. 8, 9 and 11 as shown on the attached page.



US007242136B2

(12) **United States Patent**
Kim et al.

(10) **Patent No.:** **US 7,242,136 B2**
(45) Date of Patent: **Jul. 10, 2007**

- (54) **FRONT FILTER, AND PLASMA DISPLAY APPARATUS HAVING THE SAME**
- (75) **Inventors:** **Young Sung Kim**, Yongin-si (KR); **Kyung Ku Kim**, Seoul (KR); **Hong Rae Cha**, Seoul (KR); **Myeong Soo Chang**, Oeiwhang-si (KR); **Byung Gil Ryu**, Seoul (KR); **Eun Ho Yoo**, Goyang-si (KR)
- (73) **Assignee:** **LG Electronics Inc.**, Seoul (KR)
- (*) **Notice:** Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 334 days.

(21) **Appl. No.:** **10/796,102**

(22) **Filed:** **Mar. 10, 2004**

(65) **Prior Publication Data**
 US 2004/0178729 A1 Sep. 16, 2004

(30) **Foreign Application Priority Data**
 Mar. 11, 2003 (KR) 10-2003-0015174

- (51) **Int. Cl.**
G06F 3/033 (2006.01)
G09F 9/00 (2006.01)
H01J 61/40 (2006.01)
- (52) **U.S. Cl.** **313/112; 313/582; 359/885; 359/577**
- (58) **Field of Classification Search** **345/173-178; 178/18.01-20.06**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,794,634 A *	12/1988	Torihata et al.	379/93.19
6,061,177 A *	5/2000	Fujimoto	359/443
6,087,012 A *	7/2000	Varaprasad et al.	428/428
6,215,477 B1 *	4/2001	Morrison et al.	345/173
6,876,355 B1 *	4/2005	Ahn et al.	345/173
6,887,631 B2 *	5/2005	Kiguchi et al.	430/7
6,933,086 B2 *	8/2005	Sakurada	430/7
7,053,886 B2 *	5/2006	Shin	345/173
2003/0122801 A1 *	7/2003	Yu	345/173
2005/0062410 A1 *	3/2005	Bell et al.	313/506

FOREIGN PATENT DOCUMENTS

JP 10-163671 * 6/1998

* cited by examiner

Primary Examiner—Ashok Patel

(74) *Attorney, Agent, or Firm*—Ked & Associates, LLP.

(57) **ABSTRACT**

The present invention relates to a front filter having a touch screen, and a plasma display apparatus having the same. The front filter installed on a front surface of a panel of a plasma display apparatus, the front filter including: a touch screen for generating a coordinate signal with respect to a touch point.

22 Claims, 9 Drawing Sheets




Fig. 8




Fig. 9

156




Fig.11

256

